Asthma & Allergy TherapiesReferring Physician Orders Rev. 05/2024
Please fax completed referral form & all required documents to 208-595-4427



| riedoc rax completed referral form | a an required documents to 200 | | | | | IV THERAPY | |
|---|---|---|---|------------------------------|--|------------|--|
| | Р | ATIENT DEMOGRA | APHICS | | | | |
| Patient Name: | | DOB: _ | | Phone: _ | | | |
| Address: | | City/ST/ | Zip: | | | | |
| Allergies: | | NKD | A Weight: | □ lbs □ kg | Height: | □ in □ cm | |
| | INSURANCE INFORMA | ATION: Please attach c | opy of insurance car | d (<u>front and back</u>). | | | |
| | | DIAGNOSI | | | | | |
| ☐ Severe Asthma (J45.50-J45.52), ICD 10 ☐ Idiop. ☐ Unspecified Asthma (J45.901-J45.909), ICD 10 ☐ Othe | | | sal Polyps (J33.0-J33.9), ICD 10 pathic Urticaria (L50.1) ner Urticaria (L50.8) specified Urticaria (L50.9) | | ☐ Allergy to peanuts (Z91.010) ☐ Allergy to milk products (Z91.011) ☐ Allergy to eggs (Z91.012) ☐ Allergy to seafood (Z91.013) | | |
| ☐ Other: | , ICD 10 | □ Onspecified Offic | ana (L30.9) | | to sealood (2 | | |
| INFUSION ORDERS | | | | | | | |
| MEDICATION | DOSE | | NS/DURATION | | | | |
| Cinqair® (reslizumab) | □ mg (3 mg/kg |) □ Infuse IV | ☐ Infuse IV over 20-50 minutes every 4 weeks x 1 year ☐ Observe patient for 30 minutes after each dose. | | | | |
| Fasenra® (benralizumab) | □ MAINTE | □ INITIAL: Inject SUBQ every 4 weeks x 3 doses, then every 8 weeks x 1 year □ MAINTENANCE: Inject SUBQ every 8 weeks x 1 year □ Observe patient for 1 hour after each dose. | | | | | |
| Nucala® (mepolizumab) | Nucala® (mepolizumab) 100 mg | | ☐ Inject SUBQ every 4 weeks x 1 year ☐ Observe patient for 1 hour after each dose. | | | | |
| Tezspire® (tezepelumab) | 210 mg ☐ Inject SUBQ every 4 weeks x 1 ye ☐ Observe patient for 30 minu | | | , | lose. | | |
| Xolair® (omalizumab) □ mg □ Calculate dose and frequency per patient weight and IgE level | | | □ Inject SUBQ every weeks x 1 year □ New patient: Observe patient for 2 hour following first Xolair doses, and then for 30 minutes after all subsequent doses. □ Established patient: Observe patient for 30 minutes after each dose. | | | | |
| OTHER: | | □ ESTA | blished patient: Ob | serve patient for 30 | minutes after e | each dose. | |
| | ng therapy above from anot | har facility? □ NO I | 7 VE6 | | | | |
| - | ing therapy above from another | - | | Date of ne | ovt treatment | | |
| ii yes, i aciity ivame. | | OTHER ORD | | Date of the | xt treatment. | | |
| ☐ No labs ordered at this tin☐ CBC q ☐ C | e drawn by: ☐ Infusion Cent ne :MP q ☐ CRP c | er 🗆 Referring | Physician | LFTs q | _ □ Other: _ | | |
| PRE-MEDICATION ORDERS: ☐ No premeds ordered at this time ☐ Acetaminophen 650mg PO ☐ Other: | | | ☐ Diphenhydramine 25mg PO☐ Methylprednisolone 40mg IVP -OR-☐ Hydrocortisone 100mg IV | | | | |
| | REFER | RRING PHYSICIAN | INFORMATIO | N | | | |
| Physician Signature: | | | Date: | | | | |
| Physician Name: | F | Provider NPI: | | | Specialty: | | |
| Address: | | | City/ST/Zip: | | | | |
| Contact Person: | | | | | | | |
| Email Where Follow Up Docume | ntation Should Be Sent: | | | | | | |
| | REQUII | RED CLINICAL DO | CUMENTATIO | N | | | |
| | | | gress notes, medication list, and labs/test results to support diagnosis. □ Pre-treatment IgE level (for Xolair) □ Positive skin or RAST test to a perennial aeroallergen (for Xolair) □ Other: | | | | |
| Test/Lab Results for Urticaria diagnosis (required) ☐ Baseline Urticaria Activity Score | | | ☐ Other: | | | | |
| Test/Lab Results for Food Allergy diagnosis (required) ☐ Pre-treatment IgE level ☐ Positive skin prick or RAST test to a food allergen Prior Failed Therapies | | | ☐ Oral food challenge ☐ Other: | | | | |
| Medication Failed: | Datas | f Treatment: | D | eason for D/C: | | | |
| | | f Treatment: | | | | | |
| Medication Failed: Dates of Treatment | | | | | | | |
| Medication Failed: Dates of Treatment: | | | | | | | |